

2-28-00

A

ATTORNEY DOCKET NO.
067191.0110

PATENT APPLICATION

APPLICATION FOR U.S. PATENT UNDER 37 C.F.R. § 1.53(b)
TRANSMITTAL FORM

jc678 U.S. PTO
09/513592
02/25/00

Box Patent Application
ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of:

Inventor or Application Identifier: Pulin R. Patel, et al.

Entitled: *Method and System for Brokering Bandwidth in a Wireless Communications Network*

Enclosed are: X Specification (47 pages)
X Drawing(s) (3 Sheets Formal)

X Signed combined Declaration and Power of Attorney.
X Certificate of Mailing
X Assignment and Assignment Recordation
X Small Entity Verification
X Return Receipt Postcard

Applicant is Small Entity.

FEE CALCULATION					FEE
	Number		Number Extra	Rate	Basic Fee
					\$ 345.00
Total Claims:	92	-20 =	72	X \$9 =	\$648.00
Independent Claims	8	- 3 =	5	X \$39 =	\$ 195.00
TOTAL FILING FEE =					\$1188.00

Attorney's Docket:
067191.0110
Page 2

PATENT APPLICATION

Enclosed is a check in the amount of \$1,188.00 to satisfy filing fee requirements under 37 C.F.R. § 1.16. Please charge any additional fees or credit any overpayment to Deposit Account No. 02-0384 of BAKER BOTTS L.L.P. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

BAKER & BOTTS, L.L.P.
Attorneys for Applicants



Terry J. Stalford
Reg. No. 39,522

Date: February 25, 2000

Correspondence Address:
Terry J. Stalford, Esq.
Baker Botts L.L.P.
2001 Ross Avenue
Dallas, Texas 75201-2980

Tel. (214) 953-6477
Fax. (214) 953-6503

Applicant or Patentee: Pulin R. Patel, et al.

Serial or Patent No.

Filed or Issued:

Title: METHOD AND SYSTEM FOR BROKERING BANDWIDTH IN A WIRELESS COMMUNICATIONS NETWORK

Attorney's Docket:

067191.0110

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c)) -- SMALL BUSINESS CONCERN**

I hereby declare that I am an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: IPMOBILE, INC.
Address of Small Business Concern: 1651 N. Glenville, Suite 216
Richardson, Texas 75081

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled METHOD AND SYSTEM FOR BROKERING BANDWIDTH IN A WIRELESS COMMUNICATIONS NETWORK, described in the specification filed herewith.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e):


None

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or my maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Person Signing: Pulin Patel
Title of Person if other than owner: President
Address of Person Signing: 1651 N. Glenville, Suite 216
Richardson, Texas 75081

Signature:



Date:

2-25-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Pulin R. Patel, et al.
Date Filed: February 25, 2000
Title: METHOD AND SYSTEM FOR BROKERING
BANDWIDTH IN A WIRELESS
COMMUNICATIONS NETWORK

BOX PATENT APPLICATION

Honorable Assistant Commissioner

For Patents

Washington, D.C. 20231

Dear Sir:

CERTIFICATE OF MAILING BY EXPRESS MAIL

I hereby certify that the attached Application Transmittal Form, Patent Application, Assignment, Assignment Recordation, a check in the amount of \$40.00 to cover the Assignment fee, executed Declaration and Power of Attorney, ³ ~~11~~ sheets of Formal Drawings, a check in the amount of \$1,188.00 to cover the application filing fee, and this Certificate of Mailing are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on this 25th day of February, 2000 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Willie Jiles

Willie Jiles

Express Mail Receipt
No. EL501043275US
Attorney's Docket:
067191.0110

METHOD AND SYSTEM FOR BROKERING BANDWIDTH IN A WIRELESS
COMMUNICATIONS NETWORK

RELATED APPLICATIONS

This application is related to U.S. Patent
Application Serial No. _____ entitled
"Method and System for Queuing Traffic in a Wireless
5 Communications Network," U.S. Patent Application Serial
No. _____ entitled "Method and System for
Managing Transmission Resources in a Wireless
Communications Network," U.S. Patent Application Serial
No. _____ entitled "Wireless Router and
10 Method for Processing Traffic in a Wireless
Communications Network," and U.S. Patent Application
Serial No. _____ entitled "Method and System
for Configuring Wireless Routers and Networks," all filed
on February 25, 2000 and incorporated herein by
15 reference.

TECHNICAL FIELD OF THE INVENTION

The present invention relates generally to the field
of wireless communications, and more particularly to a
20 method and system for brokering bandwidth in a wireless
communications network.

BACKGROUND OF THE INVENTION

Wireline Internet protocol (IP) networks have traditionally supported a best effort delivery of all traffic. To support enhanced services, multiple types, or classes, of services have been established and assigned certain quality of service (QoS) parameters that manage queues for each service type. The QoS parameters include delay, jitter, error rates, and throughput. The QoS parameters can be provisioned on a per IP connection or per flow basis through mechanisms such as resource reservation protocol (RSVP) or can be provisioned on aggregate flows which are classified into service classes. Internet service providers (ISPs) can utilize the service classes, their associated QoS behavior and QoS provisioning to provide tiered service offerings to their business and consumer consumers.

The IP QoS architecture provides tools for marking IP flows, controlling and shaping the traffic of various IP flows, and managing various IP queues in order to ensure QoS behavior for each class of service. Queue management algorithms include head-drop, tail-drop, first in first out (FIFO) and random early detect (RED). The queue management may be on individual microflows or on aggregate flows which are treated with similar QoS behavior.

Recent proposals for the IP QoS architecture include supporting bandwidth brokers that control and allocate Internet or other network bandwidth. The bandwidth brokers can be programmed with an organization's policies, current allocation traffic, and new requests for allocations. The bandwidth brokers manage the allocations of bandwidth within their network domain and

communicate with bandwidth brokers of other network domains to negotiate QoS parameters.

Wireless communications networks use the IP QoS architecture to support transmission of data and/or voice traffic between mobile devices and a wireline network. Typically, wireless consumers sign-up for wireless telephony and data services in a defined coverage area at a specified QoS policy and price. Once outside the coverage area, the wireless services may not be available to a consumer or may only be available at an unknown price and QoS policy. This limits true mobility of the devices within a wide geographic area.

SUMMARY OF THE INVENTION

The present invention provides a method and system for brokering bandwidth in a wireless communications network that substantially eliminate or reduce problems and disadvantages associated with previous methods and systems. In particular, wireless bandwidth in a region is brokered to consumers for specified periods of time at agreed upon terms. This allows discreet segments of bandwidth to be commercialized and bandwidth use in the network to be maximized.

In accordance with one embodiment of the present invention, a method for brokering resources of a wireless communications network includes receiving a request for a wireless service at a geographic region. The availability of the wireless service at the geographic region is determined. A response to the request is generated based on the availability of the wireless service. The response includes one or more terms for providing the wireless service.

More specifically, in accordance with a particular embodiment of the present invention, the request may identify a time, a bandwidth, a type of service, and/or a price for the wireless service. In this embodiment, the availability of the wireless service is determined at the geographic region at the specified time, bandwidth, type and/or price. Terms in the response may include additional or different time, price, type of service and/or bandwidth terms for the wireless service. The terms may be negotiated between a consumer or agent for the consumer and a bandwidth provider such as a network or service provider or agent for the network or service provider.

Technical advantages of the present invention include providing a method and system for brokering bandwidth in a wireless communications network. In particular, wireless resources are brokered on a geographic location, time including date or dates and time of day or days, bandwidth, type of service and/or price basis. As a result, discrete segments of bandwidth may be commercialized to maximize bandwidth use in each area of the wireless network.

Another technical advantage of the present invention includes providing a method and system for consumers to obtain wireless resources. In particular, consumers may specify resource location, price, QoS policy and other parameters to bandwidth providers including service providers, network providers and bandwidth brokers, shop between providers and negotiate service parameters. Thus, consumers can narrowly specify the services they are interested in and limit the price they are willing to pay for the services.

Yet another technical advantage of the present invention includes providing a method and system for consumers to obtain temporary wireless resources outside their normal coverage area. In particular, wireless resources may be directly or indirectly negotiated with and reserved from a service provider at a remote geographic location. Thus, a mobile user may be assured adequate wireless resources when he or she travels to the geographic location. The wireless resources may be reserved from a service provider, bandwidth broker, travel or other agent, or directly from the network provider and may be reserved through the Internet or other network, a kiosk or other terminal, a phone line, a handset by data input, voice or other commands.

Yet another technical advantage of the present invention includes providing an Internet gateway for brokering and negotiating wireless transmission resources between users and service providers. In particular, a web site is provided at which consumers may specify a location, time, bandwidth, type of service and/or pricing of desired services and submit request for services. In this way, consumers may easily request and negotiate with network providers, service providers and bandwidth brokers for wireless services.

Still another technical advantage of the present invention includes providing a method and system for bandwidth providers to broker available bandwidth to consumers. In particular, network providers, service providers, and bandwidth brokers may advertise and display available bandwidth for purchase by consumers. Bandwidth may be prepackaged in plans that specify all parameters to eliminate negotiations and facilitate purchase by consumers. Based on supply and demand, available bandwidth may be auctioned between consumers or consumer requests auctioned between bandwidth providers. Moreover, unsolicited advertisements may be sent to consumers to inform them of the available bandwidth. In this way, bandwidth usage within a network is maximized.

Other technical advantages of the present invention will be readily apparent to one skilled in the art from the following figures, description, and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and its advantages, reference is now made to the following description taken in conjunction with
5 accompanying drawings, wherein like reference numerals represent like parts, in which:

FIGURE 1 is a block diagram illustrating a wireless communications network in accordance with one embodiment of the present invention;

10 FIGURE 2 is a block diagram illustrating wireless service terms in accordance with one embodiment of the present invention;

FIGURE 3 is a block diagram illustrating details of the resource manager of FIGURE 1 in accordance with one
15 embodiment of the present invention;

FIGURE 4 is a flow diagram illustrating a user method for obtaining wireless resources in accordance with one embodiment of the present invention;

FIGURE 5 is a screen diagram illustrating a user
20 interface for obtaining wireless resources in accordance with one embodiment of the present invention;

FIGURE 6 is a flow diagram illustrating a method for brokering wireless services of a plurality of service providers to consumers in accordance with one embodiment
25 of the present invention; and

FIGURE 7 is a flow diagram illustrating a service provider method for providing wireless resources to consumers in accordance with one embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

FIGURE 1 illustrates a wireless network 10 in accordance with one embodiment of the present invention. In this embodiment, the wireless network 10 comprises a plurality of overlapping cellular networks 12 in which terrestrial and mobile wireless transmission originates in geographically delimited cells. It will be understood that the present invention may be used in connection with satellite and other suitable types of wireless and other dynamic bandwidth networks.

Referring to FIGURE 1, the cellular networks 12 each cover a contiguous area that is broken down into a series of overlapping cells 14. Each cell 14 has a base station, or server, 16 and may be subdivided into a plurality of geo-location areas 18. The geo-location areas 18 are each a defined area in which bandwidth may be allocated to mobile devices 20. The geo-location areas 18 may have a resolution greater than, less than, or equal to cell size. In a particular embodiment, the geo-location areas 18 are substantially square in shape to form a contiguous grid over the coverage area. Thus, the geo-locations 18 may be shared by one or more cells 14. Further information regarding the geo-location areas and allocation of bandwidth in the areas is described in co-owned U.S. Patent Application Serial No. 09/466,308, filed December 17, 1999, entitled "Method and System for Allocating Bandwidth in a Wireless Communications Network," which is hereby incorporated by reference.

Servers 16 provide a radio frequency (RF) link for mobile devices 20 in a corresponding cell 14. The wireless RF link to the mobile devices 20 in the cell 14 may be based on established standards such as IS-54 (TDMA), IS-95 (CDMA), GSM and AMPS, 802.11 based WLAN, or

new upcoming standards such as CDMA 2000 and W-CDMA or proprietary terrestrial or mobile radio interfaces. The mobile devices 20 may be cell phones, data phones, data devices, portable computers, or any other suitable
5 devices capable of communicating information over a wireless link.

Due to the nature of the RF airlink, the interference generated by the usage of various mobile devices 20 is inter-dependent. That is, the interference
10 generated by the usage of a mobile device 20 including transmitting and receiving signals is not only dependent on its geo-location, but is also dependent on the geo-location of surrounding mobile devices 20 and the usage of those devices. Thus, each cellular network 12 is an
15 inherently interference-limited network with bandwidth usage in a particular location impacting the interference in specific areas of the neighborhood. In the complete spectrum sharing systems such as CDMA and W-CDMA, bandwidth usage in a particular area directly impacts the
20 bandwidth available at different locations in the neighborhood.

The servers 16 each have a defined bandwidth with which to communicate with the mobile devices 20 in the corresponding cell 14. The bandwidth is used by the
25 server 16 and the mobile devices 20 to communicate voice and data information. The supported bandwidth is a function of various factors such as frequency reuse, carrier to interface ratio, bit-energy to noise ratio, effective bit-rate per connection and the like. The
30 bandwidth available to allocate to certain flows is geo-location dependent, and time dependent based on current usage of other flows in the geo-neighborhood.

The servers 16 in each cellular network 12 are connected to one or more mobile gateways 22 that allocate bandwidth within the cellular network 12, route traffic, and track the location of the mobile devices 20 in the
5 cells 14. The mobile gateways 22 may group, allocate, and control traffic and transmission resources as described in co-owned U.S. Patent Applications entitled "Method and System for Queuing Traffic in a Wireless Communications Network" and "Method and System for
10 Managing Transmission Resources in a Wireless Communications Network," both previously incorporated by reference. The position of a mobile device 20 may be determined using network-assist, global position systems (GPS) and RF fingerprinting. Preferably, the positioning
15 technique provides fast and accurate information with respect to the location of the mobile device 20 to minimize acquisition time for position information. As mobile users move from cell 14 to cell 14 within a cellular network 12, a hand-off operation between servers
20 16 is performed by the mobile gateway 22.

The mobile gateways 22 in each cellular network 12 provide connectivity from the wireless portion of the cellular network 12 to a wireline portion 24 of the wireless network 10 via circuit switched and packet
25 switched wireless data protocols. The wireline portion 24 may be the Internet, intranet, extranet, or other suitable local or wide area network. For the Internet, the mobile gateways 22 provide an access, or entry point for all transport control protocol/Internet protocol
30 (TCP/IP) data connections to the wireless portion of the network 12. Each mobile gateway 22 may serve one or more servers 16 include the RF front-end and other functionality of the servers 16, and/or may be wireless

5 routers as described in co-owned U.S. Patent Application
entitled "Wireless Router and Method for Processing
Traffic in a Wireless Communications Network," previously
incorporated by reference. In the later case, the
wireless router may be self-configuring as described in
co-owned U.S. Patent Application entitled "Method and
System for Configuring Wireless Router and Network," also
previously incorporated by reference. Bandwidth
allocation and other functionality of the mobile gateways
10 22 may instead be implemented by a mobile switching
center (MSC), data interworking function (IWF) devices,
and other suitable network devices without departing from
the scope of the present invention.

In each cellular network 12, a service level
15 agreement (SLA), or resource manager 26 manages bandwidth
and other suitable network resources of the network
provider. As described in more detail below, the
resource manager 26 receives requests for wireless
services from a consumer, service provider, bandwidth
20 broker or other requester, determines resource
availability based on the request, generates a response
based on resource availability, and sends the response to
the requester. The request and reply may each be an
offer to accept or provide services, an acceptance of an
25 offer, or a partial offer to accept or provide services
including both specified and open terms. Based on the
request and the response, additional negotiations may
occur between the resource manager 26 and the requester
in order to agree on terms at which the wireless service
30 will be provided. The agreed upon terms define a SLA and
may specify a wireless region, price, time, type of
service, bandwidth and other suitable conditions of
service. The SLA will be checked and enforced/ensured by

the network elements during use of the wireless service as packets are transmitted over the cellular network 12.

In a particular embodiment, the resource manager 26 is a distributed server component with separate or shared instances. In this embodiment, a customer premise equipment (CPE) may install the resource manager 26 locally or lease/share an instance installed at a server premise equipment (SPE) data center location. Thus, the SPE will maintain a local installation of the resource manager 26. The relationship between the SPE and CPE resource managers 26 may be one-to-many or many-to-many.

One or more bandwidth providers 28 communicate with the resource managers 26 of the cellular networks 12 and/or mobile gateways 22 within the cellular networks 12 to intelligently broker bandwidth and other suitable wireless resources of the network providers to third parties based on time and space considerations such as geo-location of the demand and supply within the networks 12. The bandwidth providers may be a service provider such as an Internet Service Provider (ISP) or a bandwidth broker. The bandwidth broker may broker bandwidth of a service provider in addition to that of a network provider. As described in more detail below, the bandwidth providers 28 may receive requests for wireless services directly from consumers and broadcast the request to network providers capable of providing the specified wireless services. The bandwidth provider 28 receives, analyzes and/or evaluates responses from the different network providers to generate a consumer response. The consumer response may include an offer to provide wireless services at specified terms, several offers from several different network providers for evaluation and selection by the consumer, or one or more

partial offers with open terms to be negotiated with the consumer. The bandwidth provider 28 may also negotiate with network providers on behalf of consumers or facilitate negotiations between consumers and network
5 providers. After an agreement has been reached, the bandwidth provider 28 may process billing, termination and other suitable transactions regarding the wireless services.

FIGURE 2 illustrates wireless service terms for a
10 service level agreement (SLA) 30 in accordance with one embodiment of the present invention. In this embodiment, the SLA 30 includes access region parameters 32, price parameters 34, service type parameters 35, time parameters 36, and bandwidth parameters 38. The access
15 region parameters 32 include latitude and longitude, selections, structures, facilities, cities, airports, and any other suitable area that can be identified for provision of wireless services. The price parameters 34 include fixed price, variable price, price plans,
20 discounts, and other suitable pricing strategies. The service type parameters 35 include different class or quality of service (QoS) types such as gold, silver, bronze, premium, assured, and best efforts. The time parameters 36 include a from and to time for services, if
25 from an unlimited time for services, a day of the week and/or month for services, a time zone and any other suitable times at which wireless services may be provisioned. The bandwidth parameters 38 include best
30 available, a minimum and maximum, an average, fixed, variable, or other suitable level of bandwidth.

FIGURE 3 illustrates details of the resource manager 26 in accordance with one embodiment of the present invention. In this embodiment, the resource manager 26

is implemented as a centralized system for controlling bandwidth within a cellular network 12. It will be understood that functionality of the resource manager 26 may be suitably distributed within the cellular network 12.

Referring to FIGURE 3, the resource manager 26 includes a server 40, a supply manager 42, a demand manager 44, a pricing manager 46, a policy manager 48, and a work flow manager 50. A database 52 is shared by the server 40 and the managers 42, 44, 46, 48 and 50. Each of the server and managers 40, 42, 44, 46, 48 and 50 may be implemented in hardware, software stored in a computer-readable medium, a combination of hardware and software or any other computer processable medium having hardwired or programmed instructions. The hardware may comprise a field programmable gate array (FPGA) programmed to perform some or all of the functionality of the resource manager 26, an application specific integrated circuit (ASIC) designed to perform some or all of the functionality of the resource manager 26 and/or a general purpose processor programmed by software instructions to perform some or all the functionality of the resource manager 26.

The server 40 includes a service interface 60 through which consumers, including their agents, and bandwidth providers 28 may request wireless services in the cellular network 12. As described in more detail below, the service interface 60 is a web or other Internet site, a destination e-mail or electronic data interchange (EDI) site, an automated call attendant line, a voice activated instruction line, a fax line, an operator entry device, or other suitable device through which consumers and bandwidth provider 28 may request

wireless services. The service interface 60 allows consumers and bandwidth provider 28 to specify geographic access regions, price, bandwidth, type of service and/or other suitable parameters for wireless services. The
5 service interface 60 also communicates responses to requests back to the service requester and allows for negotiations between the service requester and bandwidth provider 28. After terms for wireless services have been agreed to with or for a customer, the server 40 stores
10 the SLA for the service in the database 52.

The supply manager 42 maintains current and expected available supply information and/or maps for the cellular network 12. The demand manager 44 maintains current and expected demand information and/or maps for the cellular
15 network 12. The pricing manager 46 maintains pricing information and/or maps for the cellular network 12. The supply, demand, and pricing maps are dynamic and may be location and time dependent. The dynamic supply, demand, and pricing maps may be stored in the database 52 and
20 updated by their respective managers 42, 44 and 46.

The policy manager 48 provisions policies in the mobile gateways 22 based on an SLA with a consumer or bandwidth provider 28. In particular, the policy manager 48 communicates with the mobile gateways 22 to provision
25 services in the cellular network 12. The work flow manager 50 controls the service interface 60 and business process within the resource manager 26. The work flow manager 50 may operate in real time or non-real time. In addition, each stage of the work flow may be synchronous
30 or asynchronous.

In operation, requests for wireless services may be received by the resource manager 26 electronically via an EDI, graphical user interface (GUI) of an Internet or

other suitable site, GUI, voice or vision activated, pen stroke, key stroke or touch screen interface of a cell phone, PDA or other mobile device, or by automated telephony systems in which consumers and bandwidth providers 28 may select access regions and other parameters for wireless services. Requests may also be received by an operator keying in information from a caller, a fax, e-mail or other suitable notification. Each request may include mandatory and/or optional parameters that will be used by the resource manager 26 to determine resource availability. In one embodiment, the mandatory parameters may include the wireless access region for the wireless service. The region may be a large geographic region such as a city, a facility such as an airport, convention center, hotel, or a specific geo-location area 16. Additional parameters may include rate/pricing plans, a time window or start time, required bandwidth, and/or type of service.

In the CPE/SPE embodiment, manual requests for wireless services may be re-keyed by an operator via a GUI on the SPE resource manager 26. Electronic requests are received by the CPE resource manager 26 and forwarded to the corresponding SPE resource manager 26. The SPE resource manager 26 performs validation on the request by checking the content for well formedness and validity.

In a particular embodiment, the request may be a request for information on available wireless services, a request for reservation of future wireless services, a request for immediate wireless services, or a confirmation request. Depending on the type of the request, the resource manager 26 will check for available resources and return a response based on the availability of resources. For inquiry type requests, the resource

manager 26 returns information about availability and pricing of wireless services. For reservation types of requests, the resource manager 26 returns a successful or unsuccessful reservation along with availability and pricing information. In case of unsuccessful reservation results, the resource manager 26 may return alternatives available for bandwidth and pricing. After returning the result, the resource manager 26 stores the request and flags for confirmation. The request will also be flagged for a specific expiry period. If confirmation is received after the expiry period, the request will be invalidated.

For instant request types, the resource manager 26 returns an acceptance or decline response along with information about availability and pricing of wireless resources. For confirmation requests, the resource manager 26 checks if the confirmation falls within the expiry period range. If the confirmation period has expired, a reservation expired response will be returned to the requester. If the confirmation is made within the expiry period range, the resource manager 26 will confirm provision of the wireless service.

FIGURE 4 is a flow chart illustrating a user method for obtaining wireless services in accordance with one embodiment of the present invention. The method begins at step 100 in which a potential consumer requests wireless services from a bandwidth provider 28 or other intermediate agent. As previously described, the request may be submitted manually by calling an operator, sending a fax, or sending an e-mail to the wireless service provider or intermediary, or electronically by sending an EDI message accessing an Internet site and entering parameters specifying the wireless services or from any

other graphical, voice, vision, key stroke, pen stroke, or other interface through which request may be submitted or offers reviewed or requested. The consumer request may be automated to be generated in response to
5 activation of a mobile device 20 outside of a predefined coverage area or within a predefined coverage area or type of coverage area. Thus, for example, a car phone may upon activation automatically determine that it is outside a normal coverage area and request information on
10 available bandwidth or generate request for bandwidth based on predefined pricing, service type and/or bandwidth parameters. Parameters may be mandatory or optional and may include a coverage region, rates/pricing plans, time, bandwidth, and types of service.

15 Proceeding to step 102, the potential consumer receives a response from the bandwidth provider 28. The consumer may accept a service plan offered in the response or may negotiate details of the wireless service with the bandwidth provider 28 at step 104. Thus, if a
20 consumer cannot obtain a requested level of wireless resources at a specified price, the consumer may choose to accept a lower level of resources at the specified price or pay an offered price for the specified level of wireless resources.

25 Proceeding to decisional step 106, if an agreement is reached with a bandwidth provider, the Yes branch leads to step 108 in which the consumer may use the agreed upon wireless services. The wireless services may be requested in real-time for immediate use or requested
30 for use at a specified future time. During use of the wireless service, the mobile device 20 may track and/or display charges based on the SLA 30. Thus, if the consumer is travelling to a remote geographic location,

the consumer may first reserve wireless resources at that location to be assured of adequate coverage while at that location. Returning to decisional step 106, if no agreement is reached, the No branch of decisional step 5 106 leads to the end of the process. Thus, consumers may determine ahead of time the cost of wireless services and decide whether or not to proceed with the services based on the cost.

For automatically generated requests, a mobile 10 device may have one or more sets of defined parameters with which it can negotiate for wireless services. Thus, for example, a mobile device may automatically negotiate and agree to wireless services that fall within specified pricing, service type and/or bandwidth parameters for all 15 calls, automatically negotiate and agree to wireless services falling within a second set of parameters for calls to or from identified individuals or business, and require user approval for wireless services above or below specified pricing, service type and/or bandwidth 20 parameters. Further still, wireless services above ceiling parameters may be automatically rejected by the mobile device 20. For emergency calls, the mobile device may accept any available bandwidth regardless of pricing, service level and/or bandwidth parameters.

FIGURE 5 illustrates details of the service 25 interface 60 in accordance with one embodiment of the present invention. In this embodiment, the service interface 60 is a graphical user interface 130 accessible by consumers and bandwidth providers 28 over the Internet 30 or other suitable network or on the mobile device handset. The graphical user interface 130 allows consumers to easily request and negotiate with bandwidth providers 28 for wireless services. The geographical

interface may instead be implemented in the mobile device 20. Other suitable interfaces for the mobile or other device include keystroke, pen stroke, touch screen, voice activated and vision activated.

5 Referring to FIGURE 5, the graphical user interface 130 includes an interactive map 132 by which wireless access regions for a wireless service may be specified and a plurality of parameter buttons 134 by which additional parameters for the wireless service may be
10 specified. The interactive map 132 may display wireless access regions 135 overlayed on a map of the physical terrain. The wireless access regions may correspond to a geo-location area, portion of a cell site, one or more cell sites, a physical structure such as an airport,
15 complex, or building or any other suitable region in which bandwidth can be allocated. The service requester may zoom in and zoom out on the map to target specific wireless access regions 135. The service requester may then select displayed access regions for provision of
20 wireless services. The service requestor may also draw a wireless access region free form, select a center region and radius of operation or otherwise suitably specify a region in which wireless services are being requested.

The parameter buttons 134 allow the service
25 requester to specify time, service type, bandwidth, and pricing parameters for the wireless service at the identified geographic location. In particular, the time button 136 allows the service requester to enter a time window or a start time for wireless services. In the
30 latter case, wireless services may terminate upon notice from the consumer or termination of a call. The service type button 138 allows the service requester to specify a class of service to be provided. The bandwidth button

140 allows the service requester to specify bandwidth requirements for the service. The pricing button 142 allows the service requester to specify pricing information for the service. The service provider button 5 144 allows the service requester to specify a preferred service provider, such as an ISP. The network provider button 146 allows the service requestor to specify a preferred network provider. Thus, a service requester may specify one or more of the parameters for service 10 using the graphical interface 130. Information entered into the graphical interface 130 is used to generate a request for transmission and evaluation by bandwidth providers. Responses from bandwidth providers may be displayed to the service requester in the graphical 15 interface 130. In addition, the service requester may negotiate parameters through the graphical interface 130 with bandwidth providers.

In another embodiment, available wireless resources in a cellular network 12 may be displayed in a graphical 20 user interface 130 for purchase by consumers. In this embodiment, wireless service plans including predefined location, time, service type, bandwidth and/or pricing information may be displayed for selection by consumers. Thus, bandwidth providers 28 may periodically advertise 25 available bandwidth and packaged service plans to facilitate purchase by consumers. If demand exceeds supply, available resources may be auctioned between consumers over the Internet or other medium. In addition, unsolicited advertisements may be sent to 30 consumers to advertise available service plans and/or packages.

Consumers may also request wireless resources and/or receive advertisement and offers for wireless resources

through a handset. In this embodiment, consumers may select packages, specify and negotiate terms through a voice-activated interface, call-attended interface, or operator. Thus, services for a device can be obtained
5 directly through the device without need to access a computer or other device.

FIGURE 6 is a flow diagram illustrating a method for brokering wireless services of a plurality of network (or service) providers in accordance with one embodiment of
10 the present invention. The method begins at step 150 in which a request for wireless services is received by the bandwidth provider 28. The request may be received at the graphical user interface 130 or any other suitable interface through which a consumer may specify parameters
15 for the wireless service.

Next, at step 152, the bandwidth provider 28 requests service plans from network providers covering an access region identified by the request for wireless services. The identified location may be a specific
20 location, such as an airport, convention center, or hotel, or may be a larger geographic region such as a city or portion of a city.

Proceeding to step 154, the bandwidth provider 28 receives service plans from network providers capable of
25 providing the requested wireless service or a modification of the requested wireless service. At step 156, the bandwidth provider 28 generates a response based on the service plans from the network providers. The response may include the lowest priced plan that includes
30 all parameters specified by the consumer, a number of plans for evaluation and selection by the consumer, or an aggregation of different portions of service plans from

different network providers to best meet the parameters specified by the user.

At step 158, a response is transmitted to the consumer for evaluation, negotiation, and/or acceptance.

5 At step 160, the bandwidth provider 28 handles negotiations between the consumer and the network provider. During these negotiations, location, time, type, bandwidth, pricing and other suitable parameters of the wireless service may be negotiated, discussed and
10 agreed to between the consumer and the network provider.

Proceeding to decisional step 162, if an agreement cannot be reached through negotiations, the No branch leads to the end of the process and no agreement is reached. Wireless services may nevertheless be provided
15 in accordance with preexisting SLAs. Thus, a consumer will be able to determine ahead of time the price and limits of wireless services and may choose to accept or reject the conditions at which the service will be provided. If an agreement is reached, an SLA is
20 generated and the Yes branch of decisional step 162 leads to step 164. At step 164, the consumer is billed by the bandwidth provider 28. Next, at step 166, the bandwidth provider 28 instructs the network provider to provision the cellular network 12 to provide the agreed upon
25 services. After the services have been used by the consumer, the bandwidth provider 28 performs termination processing at step 168. At step 170, the bandwidth provider 28 forwards payment to the network provider for services rendered. Step 170 leads to the end of the
30 process by which bandwidth providers 28 provide wireless services to consumers. In this way, discrete segments of bandwidth may be commercialized to maximize bandwidth use in each area of a wireless network.

FIGURE 7 is a flow diagram illustrating a network (or service) provider method for providing wireless services to consumers in accordance with one embodiment of the present invention. The method begins at step 180 in which the request for wireless services is received by the resource manager 26. As previously described, the request may be received directly from a consumer or from a bandwidth provider 28.

Proceeding to decisional 182, the resource manager 26 determines resource availability based on the request. Resource availability may include whether wireless service is available at a specified geographic location or approximate geographic location, at a specified time, at a specified service type, at a specified bandwidth and/or at a specified price.

If wireless resources for the request are not available, the No branch of decisional step 182 leads to the end of the process. In this case, the service provider does not have the additional bandwidth to sell and is not overextended by agreeing to provide services for which resources are not available. Alternatively, if some bandwidth is available, the bandwidth provider may offer that bandwidth in reply to the request and negotiate terms for that bandwidth. If sufficient resources are available or substantially sufficient resources are available, the Yes branch of decisional step 182 leads to step 184. At step 184, the resource manager 26 determines pricing from the pricing manager 48. At step 186, the resource manager 26 generates a response based on resource availability and pricing information. The response may include additional and/or altered terms to the request. At step 188, the response is transmitted to the service requester.

At step 190, the network provider may negotiate with the service requester to finalize terms at which the wireless services will be provided. If an agreement is not reached, the No branch of decisional step 192 leads to the end of the process. In this case, no agreement could be reached and accordingly wireless services will be provided only in accordance with any pre-existing SLAs. Thus, the consumer may determine ahead of time the cost of wireless services and decide whether to proceed with the services based on the cost. If an agreement is reached, the Yes branch of decisional step 192 leads to step 194. At step 194, the resource manager 26 generates and stores the SLA for provisioning of the services. As previously described, the services are provisioned in the mobile gateways 22 upon activation of the consumer's mobile device 20.

Next, at step 196, services are provided in accordance with the SLA between the consumer and the bandwidth provider. At decisional step 198, if the consumer leaves the agreed upon access region, exceeds the agreed upon time or otherwise is outside the agreed upon terms for the wireless services, the Yes branch returns to step 190 in which terms for the wireless service may be dynamically renegotiated and a new SLA generated and stored as previously described. If use of the wireless services does not exceed the SLA, then upon completion of the wireless service, the No branch of decisional step 198 leads to step 200. Termination processing is performed at step 200. At step 202, payment for the provided services is received directly from the consumer or from a bandwidth provider 28 through which the services were sold. Step 202 leads to the end of the process in which the network provider is able to

determine resource availability and to sell bandwidth to consumers and other bandwidth providers 28 at specified conditions.

5 Although the present invention has been described with several embodiments, various changes and modifications may be suggested to one skilled in the art. It is intended that the present invention encompass such changes and modifications as fall within the scope of the appended claims.

WHAT IS CLAIMED IS:

1. A method for brokering resources of a wireless communications network, comprising:

receiving a request for a wireless service at a
5 geographic region;

determining an availability of the wireless service at the geographic region; and

generating a response to the request based on the availability of the wireless service, the response
10 including one or more terms for the wireless service.

2. The method of Claim 1, further comprising:

the request identifying a time for the wireless service; and

15 determining the availability of the wireless service at the geographic region at the time.

3. The method of Claim 1, further comprising:

the request identifying a bandwidth for the
20 wireless service; and

determining the availability of the wireless service at the geographic region for the bandwidth.

4. The method of Claim 1, further comprising:

25 the request identifying a type of service for the wireless service; and

determining the availability of the wireless service at the geographic region for the type of service.

5. The method of Claim 1, further comprising:
the request identifying a price for the
wireless service; and
determining the availability of the wireless
5 service at the geographic region at the price.

6. The method of Claim 1, further comprising:
the request identifying a network provider for
the wireless service; and
10 determining the availability of the wireless
service at the geographic region from the network
provider.

7. The method of Claim 1, further comprising:
15 the request identifying a service provider for
the wireless service; and
determining the availability of the wireless
service at the geographic region from the service
provider.

20 8. The method of Claim 1, the terms in the
response comprising a time for the wireless service.

9. The method of Claim 1, the terms in the
25 response comprising a price for the wireless service.

10. The method of Claim 1, the terms in the
response comprising a type of service for the wireless
service.

30 11. The method of Claim 1, the terms in the
response comprising a bandwidth for the wireless service.

12. The method of Claim 1, the terms and the response comprising a network provider for the wireless service.

5 13. The method of Claim 1, the terms and the response comprising a service provider for the wireless service.

10 14. The method of Claim 1, the response comprising an offer for the wireless service, further comprising providing the wireless service in response to acceptance of the terms by a user.

15 15. The method of Claim 1, further comprising:
 broadcasting the request to a plurality of network providers each having a wireless access network covering at least part of the geographic region;
 receiving a service plan from at least one of the network providers, the service plan based on an availability of the wireless service at the geographic region in the wireless access network of the network provider; and
20 generating the response based on service plans from the network providers.

25 16. The method of Claim 1, further comprising providing an Internet site including a graphical user interface configured to receive the request for the wireless service at the geographic region.

17. The method of Claim 16, the graphical user interface configured to receive a plurality of service criteria, the service criteria comprising a geographic region, a price, a type of service, a bandwidth, and a
5 time for the wireless service.

18. The method of Claim 16, the graphical user interface further comprising a graphical map displaying geographic areas for selection of the geographic region.
10

19. The method of Claim 1, further comprising providing a graphical user interface on a mobile device, the graphical user interface configured to receive the request for the wireless service at the geographic
15 region.

20. The method of Claim 19, the graphical user interface configured to receive a plurality of service criteria, the service criteria comprising a geographic
20 region, a price, a type of service, a bandwidth, and a time for the wireless service.

21. The method of Claim 19, the graphical user interface further comprising a graphical map displaying
25 graphic areas for selection of the geographic region.

22. The method of Claim 1, further comprising providing a telephony site including voice activated commands configured to receive the request for the
30 wireless service at the geographic region.

23. The method of Claim 22, the telephony site
configured to verbally receive a plurality of service
criteria, the service criteria comprising a geographic
region, a price, a type of service, a bandwidth, and a
5 time for the wireless service.

24. The method of Claim 1, further comprising
negotiating at least one of a plurality of service
criteria for the wireless service with a requester of the
10 wireless service, the service criteria comprising a
geographic region, a price, a type of service, a
bandwidth, and a time for the wireless service.

25. The method of Claim 24, the service criteria
15 comprising at least one of a network provider and a
service provider.

26. A method for brokering resources of a wireless communications network, comprising:

determining available services at each of a plurality of geographic regions in a wireless communications network over one or more periods of time;

displaying the available services for the geographic regions for purchase by consumers; and

providing a wireless service to a consumer in response to purchase of the wireless service by the consumer.

27. The method of Claim 26, further comprising determining the available services at the geographic regions based on demand parameters of the wireless communications network.

28. The method of Claim 26, further comprising determining the available services at the geographic regions based on supply parameters of the wireless communications network.

29. The method of Claim 26, further comprising determining the available services at the geographic regions based on historic usage patterns of the wireless communications network.

30. The method of Claim 26, further comprising displaying a purchase plan for each of the available services, each purchase plan comprising a predefined time, a price, a type, and a bandwidth for the service.

31. The method of Claim 26, further comprising auctioning the wireless service between a plurality of interested consumers.

5 32. The method of Claim 26, the available service comprising a service level agreement (SLA), further comprising:

 monitoring calls by the consumer for conformance with the SLA; and

10 dynamically renegotiating terms of the SLA with the consumer in response to the call exceeding limits of the SLA.

33. A method for brokering resources of a wireless communications network, comprising:

receiving a request for a wireless service, the request identifying a location for the wireless service;

5 broadcasting the request to a plurality of network providers having a wireless access network covering the location for service plans at which the wireless service will be provided; and

10 generating a response to the request based on the service plans.

34. The method of Claim 33, the request further comprising a price for the wireless service.

15 35. The method of Claim 33, the request further comprising a time for the wireless service.

20 36. The method of Claim 33, the request further comprising a type of service for the wireless service.

37. The method of Claim 33, the request further comprising a bandwidth for the wireless service.

25 38. The method of Claim 33, the response comprising a time for the wireless service.

39. The method of Claim 33, the response comprising a price for the wireless service.

30 40. The method of Claim 33, the response comprising a type of service for the wireless service.

42. A method for brokering resources in a wireless communications network, comprising:

5 determining available services at each of a plurality of geographic regions in a wireless communications network based on dynamic resource availability in the network; and

advertising available services for purchase by consumers.

10 43. The method of Claim 42, the available services comprising a prepackaged service plan for service at a specified geographic region during a specified period of time.

15 44. The method of Claim 42, wherein the available services comprising a time period for the service.

20 45. The method of Claim 42, further comprising transmitting the advertisement to a plurality of consumers.

46. A system for brokering resources of a wireless communications network, comprising:

computer implementable instructions encoded in
5 at least one computer processable medium; and

the instructions operable upon processing to receive a request for a wireless service at a geographic region, determine an availability of the wireless service at the geographic region, and generate a response to the
10 request based on the availability of the wireless service, the response including one or more terms for the wireless service.

47. The system of Claim 46, wherein the computer
15 implementable instructions comprise software stored on a computer-readable medium.

48. The system of Claim 46, wherein the request identifies a time for the wireless service, the
20 instructions operable upon processing to determine the availability of the wireless service at the geographic region at the time.

49. The system of Claim 46, wherein the request
25 identifies a bandwidth for the wireless service, the instructions operable upon processing to determine the availability of the wireless service at the geographic region for the bandwidth.

50. The system of Claim 46, wherein the request identifies a type of service for the wireless service, the instructions operable upon processing to determine the availability of the wireless service at the geographic region for the type of service.

51. The system of Claim 46, wherein the request identifies a price for the wireless service, the instructions operable upon processing to determine the availability of the wireless service at the geographic region at the price.

52. The system of Claim 46, wherein the request identifies a network provider for the wireless service, the instructions operable upon processing to determine the availability of the wireless service at the geographic region from the network provider.

53. The system of Claim 46, wherein the request identifies a service provider for the wireless service, the instructions operable upon processing to determine the availability of the wireless service at the geographic region from the service provider.

54. The system of Claim 46, the terms in the response comprising a time for the wireless service.

55. The system of Claim 46, the terms in the response comprising a price for the wireless service.

56. The system of Claim 46, the terms in the response comprising a type of service for the wireless service.

57. The system of Claim 46, the terms in the response comprising a bandwidth for the wireless service.

5 58. The system of Claim 46, the terms and the response comprising a network provider for the wireless service.

59. The system of Claim 46, the terms in the
10 response comprising a service provider for the wireless service.

60. The system of Claim 46, the response comprising
an offer for the wireless service, the instructions
15 operable upon processing to provide the wireless service in response to acceptance of the terms by a user.

61. The system of Claim 46, the instructions
operable upon processing to broadcast the request to a
20 plurality of network providers each having a wireless access network covering at least part of the geographic region, to receive a service plan from at least one of the network providers, the service plan based on an availability of the wireless service at the geographic
25 region in the wireless access network of the network provider, and to generate the response based on service plans from the network providers.

62. The system of Claim 46, the instructions
30 operable upon processing to provide an Internet site including a graphical user interface configured to receive the request for the wireless service at the geographic region.

63. The system of Claim 62, the graphical user interface configured to receive a plurality of service criteria, the service criteria comprising a geographic
5 region, a price, a type of service, a bandwidth, and a time for the wireless service.

64. The system of Claim 62, the graphical user interface further comprising a graphical map displaying
10 geographic areas for selection of the geographic region.

65. The system of Claim 46, the instructions operable upon processing to provide a graphical user interface at a mobile device, the graphical user
15 interface configured to receive the request for the wireless service at the geographic region.

66. The system of Claim 65, the graphical user interface configured to receive a plurality of service
20 criteria, the service criteria comprising a geographic region, a price, a type of service, a bandwidth, and a time for the wireless service.

67. The system of Claim 65, the graphical user
25 interface further comprising a graphical map displaying geographic areas for selection of the geographic region.

68. The system of Claim 46, the instructions operable upon processing to provide a telephony site
30 including voice activated commands configured to receive the request for the wireless service at the geographic region.

69. The system of Claim 46, the instructions operable upon processing to negotiate at least one of a plurality of service criteria for the wireless service with a requester of the wireless service, the service
5 criteria comprising a geographic region, a price, a type of service, a bandwidth, and a time for the wireless service.

70. The system of Claim 69, wherein the service
10 criteria comprises at least one of a network provider and a service provider.

71. A system for brokering resources of a wireless communications network, comprising:

computer implementable instructions encoded in at least one computer processable medium; and

5 the instructions operable upon processing to determine available services at each of a plurality of geographic regions in a wireless communications network over one or more periods of time, to display the available services for purchase by consumers, and to
10 provide a wireless service to a consumer in response to purchase of the wireless service by the consumer.

72. The system of Claim 71, the instructions operable upon processing to display a purchase plan for
15 each of the available services, each purchase plan comprising a predefined time, a price, a type of service, and a bandwidth for the service.

73. The system of Claim 71, the instructions
20 operable upon processing to auction the wireless service between a plurality of interested consumers.

74. The system of Claim 71, wherein the available service includes a service level agreement (SLA) the
25 instructions operable upon processing to monitor a call from the consumer for conformance with terms in the SLA and to dynamically renegotiate terms for the wireless service in response to the call exceeding terms of the SLA.

75. A system for brokering resources of a wireless communications network, comprising:

computer implementable instructions encoded in at least one computer processable medium; and

5 the instructions operable upon processing to receive a request for a wireless service, the request identifying a location for the wireless service, to broadcast the request to a plurality of network providers having a wireless access network covering the location
10 for service plans at which the wireless service will be provided, and to generate a response to the request based on the service plans.

76. The system of Claim 75, wherein the request
15 comprises a price for the wireless service.

77. The system of Claim 75, wherein the request comprises a time for the wireless service.

20 78. The system of Claim 75, wherein the request comprises a service type for the wireless service.

79. The system of Claim 75, wherein the request comprises a bandwidth for the wireless service.
25

80. The system of Claim 75, wherein the response comprises a time for the wireless service.

81. The system of Claim 75, wherein the response
30 comprises a price for the wireless service.

82. The system of Claim 75, wherein the response comprises a type of service for the wireless service.

83. The system of Claim 75, wherein the response comprises a bandwidth for the wireless service.

84. A system for brokering resources in a wireless communications network, comprising:

computer implementable instructions encoded in
5 at least one computer processable medium; and

the instructions operable upon processing to
determine available services at each of a plurality of
geographic regions in a wireless communications network
based on dynamic resource availability in the network and
10 to advertise available services for purchase by
consumers.

85. The system of Claim 84, the available services
comprising a pre-packaged service plan for services at a
15 specified geographic region during a specified period of
time.

86. The system of Claim 84, the available services
comprising a pre-packaged service plan for services at a
20 specific geographic region.

87. The system of Claim 84, the instructions
operable upon processing to transmit the advertisement to
a plurality of consumers.

88. An interface for a mobile communication device operable to use wireless services in connection with a wireless communications network, comprising:

5 computer implementable instructions encoded in at least one computer processable medium; and

the instructions operable upon processing to provide a user interface configured to receive a plurality of service criteria for generating a request for wireless services at a geographic region, the service
10 criteria comprising a geographic region, a price, a type of service, a bandwidth, and a time for the wireless service.

89. The system of Claim 88, the service criteria
15 further comprising at least one of a network provider and a service provider.

90. The system of Claim 88, wherein the user interface is a graphical user interface.
20

91. The system of Claim 90, the graphical user interface operable to display a graphical map illustrating geographic areas for selection of the geographic region.
25

92. The system of Claim 88, wherein the user interface is a voice activated interface.

METHOD AND SYSTEM FOR BROKERING BANDWIDTH IN A WIRELESS
COMMUNICATIONS NETWORK

5 ABSTRACT OF THE DISCLOSURE

10 A method and system for brokering bandwidth in a
wireless communications network includes receiving a
request for a wireless service at a geographic region.
An availability of the wireless service is determined at
the geographic region. A response to the request is
generated based on the availability of the wireless
service. The response includes one or more terms for the
wireless service.

15

20

25








FIG. 3

FIG. 2






FIG. 6




FIG. 7

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that:

My residence, post office address and citizenship are as stated below next to my name; that I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention or design entitled , the specification of which (check one):

 X is attached hereto; or
 was filed on , 2000 as
Application Serial No. and was
amended on (if
applicable);

that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Number</u>	<u>Country</u>	<u>Date Filed</u>	<u>Priority Claimed (Yes) (No)</u>
---------------	----------------	-----------------------	--

-----NONE-----

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to

patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

<u>Application Serial Number</u>	<u>Date Filed</u>	<u>Status</u>
-----NONE-----		

I hereby appoint:

Jerry W. Mills	Reg. No. 23,005
Robert M. Chiaviello, Jr.	Reg. No. 32,461
Ann C. Livingston	Reg. No. 32,479
Thomas R. Felger	Reg. No. 28,842
Charles S. Fish	Reg. No. 35,870
Wei Wei Jeang	Reg. No. 33,305
Kevin J. Meek	Reg. No. 33,738
T. Murray Smith	Reg. No. 30,222
Barton E. Showalter	Reg. No. 38,302
David G. Wille	Reg. No. 38,363
Bradley P. Williams	Reg. No. 40,227
Terry J. Stalford	Reg. No. 39,522
Christopher W. Kennerly	Reg. No. 40,675
Harold E. Meier	Reg. No. 22,428
Douglas M. Kubehl	Reg. No. 41,915
Samir A. Bhavsar	Reg. No. 41,617
Thomas R. Nesbitt, Jr.	Reg. No. 22,075
James J. Maune	Reg. No. 26,946
Roger J. Fulghum	Reg. No. 39,678
Rodger L. Tate	Reg. No. 27,399
Scott F. Partridge	Reg. No. 28,142
James B. Arpin	Reg. No. 33,470
James Remenick	Reg. No. 36,902
Jay B. Johnson	Reg. No. 38,193
Robert W. Holland	Reg. No. 40,020
Floyd B. Chapman	Reg. No. 40,555
Randall W. Mishler	Reg. No. 42,006
Robert A. King	Reg. No. 42,738
James L. Baudino	Reg. No. 43,486
Scott T. Morris	Reg. No. 43,818
Tara D. Knapp	Reg. No. 43,723
William R. Borchers	Reg. No. 44,549
Robin A. Brooks	Reg. No. 44,563
Darren W. Collins	Reg. No. 44,625
Brian W. Oaks	Reg. No. 44,981
Luke K. Pedersen	Reg. No. 45,003
Matthew B. Talpis	Reg. No. 45,152
David M. Doyle	Reg. No. 43,596

Patent Agents:

Brian A. Dietzel
Kevin R. Imes

Reg. No. 44,656
Reg. No. 44,795

all of the firm of Baker Botts L.L.P., my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith and to file and prosecute any international patent applications filed thereon before any international authorities under the Patent Cooperation Treaty.

Send Correspondence To: Direct Telephone Calls To:

Baker Botts L.L.P.
2001 Ross Avenue
Dallas, Texas 75201-2980

Terry J. Stalford
at 214.953.6477
Attorney Docket No. 067191.0110

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Name of First Inventor

Pulin R. Patel

Inventor's signature

PR Patel

Date

2-25-00

Residence (City, County, State)

2213 Whitney Lane
Collin County,
McKinney, Texas

Citizenship

Great Britain


Post Office Address

2213 Whitney Lane
McKinney, Texas 75070

Full name of Second Inventor

Raghuram (nmi) Krovvidi

Inventor's signature



Date

2-25-00

Residence (City, County, State)

4323 O'Connor Rd.
Irving, Dallas County, Texas

Citizenship

India

Post Office Address

4323 O'Connor Rd.
Irving, Texas 76040

Full name of Third Inventor

Ojas T. Choksi

Inventor's signature



Date

2/25/2000

Residence (City, County, State)

7101 Chase Oaks Blvd., #821
Plano, Collin County, Texas

Citizenship

India

Post Office Address

7101 Chase Oaks Blvd, #821
Plano, Texas 75025

Name of Fourth Inventor

Achal R. Patel

Inventor's signature



Date

2/25/00

Residence (City, County, State)

2302 Sherbrooke Lane,
Collin County,
McKinney, Texas

Citizenship

United States of America

Post Office Address

2302 Sherbrooke Lane
McKinney, Texas 75070

Full name of Fifth Inventor

Kenneth W. Davidson

Inventor's signature

K W Davidson

Date

2/25/2000

Residence (City, County, State)

6716 Pebble Beach Drive
Plano, Collin County, Texas

Citizenship

United Kingdom

Post Office Address

6716 Pebble Beach Drive
Plano, Texas 75093

Name of Sixth Inventor

Mohammad R. Ali

Inventor's signature

M. R. Ali

Date

2/25/2000

Residence (City, County, State)

701 Legacy Drive, #2324
Collin County,
Plano, Texas

Citizenship

India

Post Office Address

701 Legacy Drive, #2324
Plano, Texas 75093